



### ALLGEMEINE INFORMATIONEN / GENERAL INFORMATION

Artikel-Nr.	Article no.	--	751101311
Artikelbezeichnung	Article description	--	STRIP LED REEL GP MOOVE 4 24V 3000-4000K 144x2 LED/m LED TYPE 2835 10,0W/m W4,0mm L20000,0mm CRI90
Lieferumfang	Scope of delivery	--	flexibles Leuchtprofil


### PRODUKTMERKMALE / PRODUCT ATTRIBUTES

Leuchtyp	Type of light		Linearleuchten	Linear lights
Lichtquellentyp	Light source type	--	LED	
Werkstoff	Material	--	Silikon	silicone
Farbe	Color	--	Weiß	White
Betriebsspannung	Operating voltage	V	DC 24	
Leistung	Power	W	200,0	
Leistung pro Meter	Power per Meter	W/m	10,0	
Anzahl LEDs	Number of LEDs	St. / pcs.	144x2	
Farbtemperatur	Color temperature	K	3000-4000	
Farbtemperatur min.	Min. color temperature	K	3000	
Farbtemperatur max.	Max. color temperature	K	4000	
Farbwiedergabeindex	Color rendering index	Ra / CRI	>90	
Länge	Length	mm	20000	
Breite	Width	mm	4	
Höhe	Height	mm	8	
Einbautiefe	Installation depth	mm	8,5	
Schutzart	Protection class IP	IP	20	
Schutzklasse	Protection class	--	III	
Lichtausbeute	Luminous efficiency	lm / m	194,7 (ww), 196,77 (nw)	
Beleuchtungsstärke	Illuminant level	lx (300 mm)	785,07 (ww), 798,73 (nw)	
		lx (500 mm)	319,866667 (ww), 326,97 (nw)	
		lx (750 mm)	157,23 (ww), 161,03 (nw)	
		lx (1000 mm)	104,4 (ww), 102,2 (nw)	
Abstrahlwinkel	Beam angle	°	115	
Schalter	Switch	--	Nein	No
Energieeffizienzklasse der Lichtquelle	Power efficiency class of light source	--	F	


PRODUKTFOTO / PRODUCT PHOTO



BELEUCHTUNGSDIAGRAMM / PHOTOMETRICS



ABMESSUNGEN / DIMENSIONS



**ZUBEHÖR / ACCESSORIES**

