

Lamello

Tenso P

P-System




Self-clamping connector
to glue




Tenso P-14

Tenso P-10



*Glue easier
and faster
with Tenso P*





Tenso P-14

Faster gluing at all
angles

The Tenso P-14 is a self-clamping
connector with a cutting depth of
14 mm for:



- 45° mitres from a panel thickness of 19 mm
- 90° connections for a panel thickness from 15 mm
- Centre panel connections from a panel thickness of 19 mm



with Tenso P-14

without Tenso P-14





Tenso P-10

Self-clamping connector for gluing thin materials from a thickness of 12 mm




The Tenso P-10 is a self-clamping connector with a cutting depth of 10 mm for:



- 45° mitres from a panel thickness of 15 mm
- 90° connections from a panel thickness of 12 mm
- Centre panel connections from a panel thickness of 16 mm



Your advantages with the Tenso P combined with the preload clip



Glueing

Fixed joints of two workpieces

Invisible

No visible fitting

High clamping force

Allows for perfect alignment and clamps the workpieces

How it works



1.

Cut P-System groove



2.

Insert Tenso P




4.

Preload the Tenso P




5.

Apply glue



Versatile

Simple gluing of mitre joints



Lower assembly force

Only a short power impulse necessary to join, regardless of the number of connectors




3. Insert preload clip into installation tool




[Download Tenso P Video](#)



[P-system configurator on our website](#)



6. Assemble work pieces



7. Glued, invisible connection


*Make more
with your time!*

Sideboard
Ready in
5 minutes

**Shelving
element**
Ready in
6 minutes

Cupboard
Ready in 7
minutes

How many
carcasses can
you connect in
1 hour?



Fastest joining system with a power tool

Connection is complete within seconds,
without waiting time, clamps,
or secondary processes

Connected in seconds with Tenso – glued



1. Cut



2. Insert



3. Apply glue



4. Connect
– finished!






Time for one
connector pair

1. Cut	25
2. Insert	5
3. Apply glue	5
4. Connect – finished!	5

Ready in

**40
sec**

Tenso P glued in 40"



„Due to the preloaded fittings the effort during assembly is much lower – simply fantastic!“

Franz Gross, Managing Director, Einrichtungswerkstätte Gross GmbH & Co. KG





GROSS
ideen gegen normen
www.gross-design.at

Tenso P articles

Tenso P-14



Tenso P-14	Art. no.
Box with 80 pairs (without preload clip).....	145415
Box with 300 pairs (without preload clip).....	145425
Box with 1000 pairs (without preload clip).....	145435

Starterset	Art. no.
Box with 80 pairs (with preload clip).....	145415S
Box with 300 pairs (with preload clip).....	145425S

Preload clip	Art. no.
Box with 300 pieces.....	145426
Box with 1000 pieces.....	145436

Tenso P-10



Tenso P-10	Art. no.
Box with 80 pairs (with preload clip).....	145418
Box with 300 pairs (with preload clip).....	145428
Box with 1000 pairs (with preload clip).....	145438

Zeta P2



Zeta P2	Art. no.
with carbide tipped cutter	101402
with diamond tipped cutter.....	101402D

Lamello



**CLAMPS
WITHOUT
CLAMPS.**

**ONCE YOU HAVE IT
YOU CAN...**

... glue fast and stressfree.
... clamp without clamps.
... join in all angles.



Tenso P-14

P-System



The P-System by Lamello. Unbeatable when it comes to joining wood.



Art. no. 9822003 EN



Distributor:
Lamello AG
Verbindungstechnik
info@lamello.ch
www.lamello.ch