

**Fitting for top-running wooden doors up to 60 kg (132 lbs.), with surface mounted running track. Optionally with soft and self closing mechanism. Wall mounting.**

## Product highlights



## Flexibility

Wall mounting with integrated clip-on panelling in wood or aluminium with stylish end pieces



## Productivity

Retrofitting of all components through the provided assembly opening, prevents contamination during construction



## Aesthetics

Also available in black as a “Black Edition” design option for a particularly attractive appearance

## Technical specifications



Max. 60 kg (132 lbs.)




Max. 2700 mm (8'10 5/16")




Max. 1600 mm (5'3")



30–45 mm (1 3/16" to 1 25/32")



## Installation examples



**Set for wall mounting,  
for 1 wooden door up to 60 kg (132 lbs.)**

	No.
Hawa Porta 60 H/HC, for 1 door	057.3138.071
Hawa Porta 60 H/HC, black, for 1 door	057.3138.075












**Set consisting of:**

		057.3138.071	057.3138.075	No.
	Running gear, plain bearings, rollers plastic blue	2	2	057.3115.071
	Stopper, with retention spring, plastic, gray	2		057.3073.072
	Suspension bolt, M8x32 mm (5/16"x1 1/4"), steel, zinc-plated	2	2	057.0123.104
	Hexagon locking nut, M8, steel, zinc-plated	2	2	768.9005.101
	Support bracket, height and lateral adjustable, steel, zinc-plated	2	2	057.3129.101
	Pan head screw, 5x35 mm (3/16"x1 3/8"), steel, zinc-plated	8	8	766.6051.135
	Bottom guide, with roller, adjustable, plastic, anthracite	1	1	057.3120.071
	Countersunk head screw, 4x20 mm (5/32"x25/32"), steel, zinc-plated	4		766.5042.120
	Stopper, with retention spring, plastic, black		2	057.3073.076
	Countersunk head screw, 4x20 mm, steel, zinc-plated		4	600.0000.817


**Set for wall mounting,  
for 1 wooden door up to 60 kg (132 lbs.)**

	No.
Hawa Porta 60 HC, with running track, 2000 mm (6' 6 3/4"), aluminum, anodized, for 1 door	057.3142.071


**Set consisting of:**

		mm (inch)	057.3142.071	No.
	Running gear, plain bearings, rollers plastic blue		2	057.3115.071
	Stopper, with retention spring, plastic, gray		2	057.3073.072
	Suspension bolt, M8x32 mm (5/16"x1 1/4"), steel, zinc-plated		2	057.0123.104
	Hexagon locking nut, M8, steel, zinc-plated		2	768.9005.101
	Support bracket, height and lateral adjustable, steel, zinc-plated		2	057.3129.101
	Pan head screw, 5x35 mm (3/16"x1 3/8"), steel, zinc-plated		8	766.6051.135
	Bottom guide, with roller, adjustable, plastic, anthracite		1	057.3120.071
	Fixation clip for wooden and aluminum panel, 2-piece set		1	057.3126.071
	Clip component for wooden and aluminum panel, every 500 mm (1'7 11/16"), aluminium, pre-drilled		5	057.3117.001
	Countersunk head screw, 4x20 mm (5/32"x25/32"), steel, zinc-plated		4	766.5042.120
	Running track, aluminum, anodized, pre-drilled	2,000 (6' 6 3/4 ")	1	057.3112.199


## Running tracks

		mm (inch)	No.
	Running track, aluminum, anodized, pre-drilled	2,500 (8' 2 7/16")	057.3112.250
		3,500 (11' 5 25/32")	057.3112.350
		6,000 (19' 8 7/32")	057.3112.600
		cut to size	057.3112.990
	Running track, aluminum, black anodized, pre-drilled	2,500 (8' 2 7/16")	057.3112.255
		3,500 (11' 5 25/32")	057.3112.355

## Panels

		mm (inch)	No.
	Clip-on panel, aluminum, anodized	2,500 (8' 2 7/16")	042.3004.250
		3,500 (11' 5 25/32")	042.3004.350
		6,000 (19' 8 7/32")	042.3004.600
		cut to size	042.3004.990
	Clip-on panel, aluminum, black anodized	2,500 (8' 2 7/16")	042.3004.255
		3,500 (11' 5 25/32")	042.3004.355


## Clip-on components

		No.
	Clip component for wooden and aluminum panel, every 500 mm (1'7 11/16"), aluminum, pre-drilled	057.3117.001
	Clip component for wooden and aluminum panel, every 500 mm (1'7 11/16"), aluminum, black anodized, pre-drilled	057.3117.005

## Fixing clamp for the end pieces of wooden or aluminum panels

	No.
Fixation clip for wooden and aluminum panel, 2-piece set	057.3126.071






## Set consisting of:

	Fixation clip for wooden and aluminum panel, steel, zinc-plated	2	057.3126.101
---	---	---	--------------

## Panel end component set, 59 mm (2 5/16"), aluminum

	No.
Panel end component set, with fixation clip, 59x60 mm (2 5/16x2 3/8"), aluminum, black anodized	042.3028.056
Panel end component set, with fixation clip, 59x60 mm (2 5/16x2 3/8"), aluminum, anodized	042.3028.076



## Set consisting of:

	Panel end component, 59 mm (2 5/16"), aluminum, black anodized	1	042.3028.956
	Bracker connector, steel, zinc-plated	2	057.3051.101
	Fixation clip for wooden and aluminum panel, steel, zinc-plated	1	057.3126.101
	Screw, M4x2.6 mm (5/32"x 1/8"), steel, zinc-plated	4	011.0101.171
	Panel end component, 59 mm (2 5/16"), aluminum, anodized	1	042.3028.906

## End cap set

	No.
End cap set, with fixation clip, plastic, anthracite	057.3132.072




## Set consisting of:

	End cap, plastic, anthracite	1	057.3132.071
	Fixation clip for wooden and aluminum panel, steel, zinc-plated	2	057.3126.101

**For soft closing in opening and closing direction  
order 2 sets.**

	No.
Soft close Hawa Porta 60/100, Divido 100, 10-60 kg (22-132 lbs.), 1 piece	042.3102.072



**Set consisting of:**

	Soft close, top running, 10–60 kg (22 to 132 lbs.), plastic	1	042.3106.072
	Trigger for soft close in buildings, zinc die casting	1	042.3105.001
	Screw set soft close	1	600.0000.566


### Cover for assembly opening

	No.
Cover cap to assembly opening, 1-piece set	042.3114.071




**Set consisting of:**

	Cover cap assembly opening, plastic, gray	1	042.0172.001
	Screw set soft close	1	600.0000.566


### Bottom guide set for wall mounting

		No.
	Set bottom guide for wall mounting, with roller	057.3128.171


## Accessories

		No.
	Routing jig for assembly opening	042.3118.071
	Groove cutter to routing jig, Ø= 10 mm (13/32"), hard metal	600.0000.309
	Track cleaner, plastic, blue	057.3099.071


### Optional: Wall bracket bottom guide




### Calculations of clip-on panels



## Soft close



## Soft close



## Accessories

- Lock solutions from page 479
- General accessories from page 487

## Planning/execution

Further information about the product can be found on [www.hawa.com](http://www.hawa.com).