


K PUSH TECH




PUSH CATCHES
AND MAGNETIC
CATCHES





SYMBOLS AND FINISHES LEGEND

SYMBOLS



= SHELF SAFELY LOCKED DURING
TRANSPORTATION AND AT HOME.



= ANTI-TURNOVER LOCKING
SYSTEM



= NORMS / PATENTS



= PHILLIPS / POZIDRIV



= NEWTON



= PART.NO



= HEXAGONAL SOCKET



= FRICTION



= PCS. PER PACKAGE



= BLADE SLOT



= AUTOMATIC



= COMBI SLOT



= DROP DOWN



= CAPACITY LOADING



= COUNTERSUNK HEAD



= WOOD / GLASS THICKNESS



= PAN HEAD



= STANDARD HINGE



= HOLE DIAMETER



= FLANGE HEAD



= KIMANA HINGE



= DIAMETER



= FLAT HEAD



= FLAP HINGE



= LENGTH



= TRILOBULAR SCREW



= WITH SPRING



= HEIGHT



= SELF-TAPPING SCREW



= WITHOUT SPRING



= RIGHT VERSION



= EURO THREAD



= REVERSED SPRING



= LEFT VERSION



= METRIC THREAD



= SETTING CODE



= PRE-INSERTED SCREW



= FOR ROUND TUBE



= PCS. PER PAD



= PRE-INSERTED SCREW
AND SPREADING BUSH



= FOR OVAL TUBE



= CUT ON REQUEST



= WITH BUFFER



= SELF ADHESIVE



= WITH MAGNET



= WITH FLANGE

NOTE: Printing errors and omissions may exist despite our best efforts to ensure accuracy. We reserve the right to alter specifications without notice.

MATERIALS

ZA = Zinc Alloy	ST = Steel	HSS = High Speed Steel	BR = Brass	ABS = Acrylonitrile Butadiene Styrene
ZAnk = Nickel-plated Zinc Alloy	STzk = Zinc-plated Steel	AL = Aluminium	WD = Wood	EVA = Ethylene Vinyl Acetate

EP = **ENGINEERING PLASTIC**

+ **EP** = other engineering plastic available on request

SR = **SOFT RUBBER**

+ **SR** = other soft rubber available on request

EPn = Natural Engineering Plastic

EPc = Clear Engineering Plastic

SRn = Natural Soft Rubber

EPw = White Engineering Plastic

EPg = Grey Engineering Plastic

SRw = White Soft Rubber

EPwg = Water Green Engineering Plastic

SRb = Black Soft Rubber



FINISHES



= OTHER FINISHES AVAILABLE ON REQUEST

PART. NO	FINISHES	PART. NO	FINISHES	PART. NO	FINISHES
AA	Natural	JB	Bright Aluminium	QB	Walnut
AB	White	JC	Aluminium - Chrome	RO	Red
AC	Opal White	JD	Matt Aluminium	UZ	T -Met
AE	White 9010	JE	Satin-finished Aluminium	WA	Bronzed
AK	Champagne	JF	Aluminium - Brass	WI	Burnished
AL	Ivory	JG	Aluminium 5	XD	Satin-finished Steel
EA	Black	JL	Aluminium PE 11	YA	Nickel-plated
EB	Glossy Black	JM	Aluminium RAL 9006	YB	Bright Nickel-plated
EC	Matt Black	KA	Chrome	YC	Matt Nickel-plated
EE	Anthracite	KB	Bright Chrome	YD	Satin-finished Nickel-plated
FU	Gunmetal	KC	Matt Chrome	ZA	Zinc alloy
GR	Raw	MA	Brown	ZN	Zinc-plated
HA	Brass-Plated	MB	Light Brown 1	ZQ	Bright Gold
HH	Tropicalized	NN	Metallic Beige	ZY	Titanium
HL	Raw Brass	NO	Beige	ZZ	Clear
IA	Grey	OA	Oak	00	Insignificant finish
IB	Metallic Grey	OZ	Ash		
IF	Middle Grey	PA	Light Ash		
IJ	Light Grey	PZ	Beech		
IL	Grey 20	QA	Maple		

K PUSH TECH

K PUSH TECH is the fully renewed and extended program of automatic opening systems for doors without handles or knobs.

A special inner mechanism provides a very silent, yet powerful utilization, granting a long durability which makes it perfectly suitable for a wide range of doors.

K PUSH TECH is available:

- with buffer, for cabinets using sprung hinges.
- with magnet, for cabinets using unsprung hinges or negative hinges (Highest magnet strength available in the market).

K PUSH TECH program, includes an innovated range of spring strengths and three lengths of the output paths:

Short – 14 mm, Medium – 20 mm, Long – 37 mm.

Gap between door and cabinet is reduced: activation gap is 1,4 mm, ring thickness is 0,6 mm.


Wide adjustment feature: +6 / -0.45 mm; beyond this negative adjustment the spring is deactivated.




PATENT PENDING
REGISTERED DESIGN
ISO 7170/05




INSTALLATION TO BE EMBEDDED INSIDE THE PANEL




WITH MAGNET
for cabinets using **unsprung hinges**
or **negative hinges**.




For details refer to
"K PUSH TECH AND
K LOCK DOOR PLATES".




WITH BUFFER
for cabinets using **sprung hinges**.




VERSIONS




ADJUSTMENTS




INSTALLATION THROUGH ADAPTER HOUSING




WITH MAGNET
for cabinets using **unsprung hinges**
or **negative hinges**.




For details refer to
"K PUSH TECH AND
K LOCK DOOR PLATES".




WITH BUFFER
for cabinets using **sprung hinges**.







VERSIONS



ADJUSTMENTS















PUSH CATCHES
AND MAGNETIC
CATCHES


K PUSH TECH

ITALIANA
ferramenta





ADAPTER HOUSING AND PLATE FOR **SHORT** AND **MEDIUM** VERSIONS



EP


= 100 pcs.



57006020**EE**

57006020**IJ**

57006020**AB**



= Ø 2,5 mm

EP


= 100 pcs.



57006040**EE**

57006040**IJ**

57006040**AB**



= Ø 5 mm

EP


= 100 pcs.



57006060**EE**

57006060**IJ**


57006060**AB**



ST EP

= 100 pcs.

57008020EE
57008020IJ
57008020AB



ST EP SR

= 100 pcs.

STRONG VERSION
57008060EE
57008060IJ
57008060AB









PUSH CATCHES
AND MAGNETIC
CATCHES







K PUSH TECH



ITALIANA
ferramenta





ADAPTER HOUSING AND PLATE FOR LONG VERSION






57010080EE

57010080IJ

57010080AB



EP

= 100 pcs.



57010100EE




57010100IJ

57010100AB







FIXING ACCESSORY FOR K PUSH TECH ADAPTER PLATES PART. NO 57006040, 57010040










FIXING ACCESSORY FOR K PUSH TECH ADAPTER PLATES PART. NO 57006060, 57010060, 57010080




K PUSH TECH INSTALLING TOOL

APPLICATION



K PUSH TECH AND K LOCK DOOR PLATES




ST

= 100 pcs.



55006020XD




= Ø 3 mm

ST

= 100 pcs.



55006030YA



= Ø 3 mm




= PZ2

ST

= 100 pcs.



55006100YA




= Ø 5 mm

ST

= 100 pcs.



55006040YA




= Ø 6 mm

ST

= 100 pcs.



55006070YA




 = Ø 8 mm

ST  = 100 pcs.

55006050YA




 = Ø 2,5 mm

ST  = 100 pcs.

55006120YA




 = Ø 6 mm

ST  = 100 pcs.

55006130YA

ACCESSORY FOR PART.NO 55006130YA AND 55006120YA



 = Ø 2,5 mm



  = PZ1 

ST  = 100 pcs.

60201140YA

PLATE FOR K PUSH WITH ADAPTER HOUSING FOR CURVED DOORS



= Ø 3 mm

ST




= 100 pcs.



55006110YA

ACCESSORY FOR PART.NO 55006110YA



= Ø 3 mm



= PZ1




ST



= 100 pcs.



60103140YA



www.italianaferramenta.com